

**Dialog DataStar**[options](#)[logoff](#)[feedback](#)[help](#)[databases](#)[easy search](#)

## Advanced Search:

Inspec - 1898 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	start ADJ transaction	unrestricted	0	-
2	INZZ	starttransaction	unrestricted	0	-
3	INZZ	nested ADJ transaction\$	unrestricted	117	<a href="#">show titles</a>
4	INZZ	flat ADJ transaction	unrestricted	4	<a href="#">show titles</a>
5	INZZ	3 AND 4	unrestricted	2	<a href="#">show titles</a>
6	INZZ	3 AND rollback\$	unrestricted	0	-
7	INZZ	flat ADJ transaction\$	unrestricted	4	<a href="#">show titles</a>
8	INZZ	7 AND rollback\$	unrestricted	1	<a href="#">show titles</a>

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping  Information added since:  or:  [search](#)☐ Images

Select special search terms from the following list(s):

- ☒ Publication year 1950-
- ☒ Publication year 1898-1949
- ☒ Inspec thesaurus - browse headings
- ☒ Inspec thesaurus - enter a term
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

flat transaction and nested transaction and endtransaction and starttransaction and hierarc...  [Advanced Search](#)  
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

---

**Web Results 1 - 2 of 2 for flat transaction and nested transaction and endtransaction and starttransaction :**

[\[PDF\] Workshop on Transactional Memory Workloads](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Similarly, each other type of task is a single, **flat transaction** (payment, .... **transaction**, we only need to **rollback** to the beginning of the **nested** ...

freya.cs.uiuc.edu/WTW/program.pdf - [Similar pages](#)

[\[PDF\] Deliverable no. D4.1 Distribution of code and binaries over the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

whenever a new version is available, or to **rollback** to a previous version ..... In contrast to **flat transactions**, **nested transactions** can be seen as a tree ...

www.edos-project.org/xwiki/bin/download/Main/Deliverables/edos-d4.1.pdf - [Similar pages](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

flat transaction and nested transaction and endtransaction and starttransaction and hierarc...

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



A Better Way to Search

nested transaction and starttransaction and endtr

search

advanced search  
preferences

[Install the jux](#)

Best Results

Compare Google's  
Results

Compare Yahoo's  
Results

Compare I  
Result

Best results from all search engines:

Sponsored I

### Nested Transaction And Starttransaction And Endtra

Shop for Nested Transaction And Starttransaction And Endtra, and deals on tons of other products at MonsterMarketplace.

<http://www.monstermarketplace.com>

### Nested Transaction And Starttransaction And Endtra in the Free Online Encyclopedia

Read about Nested Transaction And Starttransaction And Endtra in the free online encyclopedia and diction Over 700,000 articles on any topic.

<http://www.thefreedictionary.com>

### Nabble - iBATIS - Dev - [jira] Created: (IBATIS-462) Nested ...

... **nested**. Calling **.startTransaction()** from the same thread more than once, before calling **commit()** or **rollback** ... **commit**, so we removed that and added **clientDAOManager.endTransaction()** 2) We removed **nested transaction**.

<http://www.nabble.com/-jira--Created%3A-...> [**#1 on MSN**]

### DerbySQLDataManager (Java Web Generator)

void: **endTransaction** (java.sql.Connection con) **commit transaction** ... **rollback transaction**: void:

setDriverClass (java ... void: **startTransaction** (java.sql.Connection ...

<http://javawebgen.sourceforge.net/webGen...> [**#2 on MSN**]

### EbeanServer

**NESTED** | **FIELD** | **CONSTR** | **METHOD** ... Ebean.**startTransaction()**; try { // do ... finally { // if **commit** didn't occur then **rollback the transaction** Ebean.**endTransaction**(

<http://www.avaje.org/static/javadoc/pub/com/avaje/ebean/EbeanServer.html> [**#3 on MSN**]

### 4. Java Developer Guide

... **nested**. Calling **.startTransaction()** from the same thread more than once, before calling **commit()** or **rollback** ... **startTransaction()**, **commitTransaction()** and **endTransaction()** (vs. allowing an automatic **transaction** ...

<http://ibatisnet.sourceforge.net/DevGuide/ar01s04.html> [**#4 on MSN**]

### org.jboss.ejb.plugins.TxInterceptorCMT (Java2HTML)

... Always begin a **transaction** int oldTimeout = **startTransaction** ... We started the **transaction** for sure so ' **commit** or roll back **endTransaction** ... when **commit()** or **rollback()** // are ...

<http://docs.jboss.com/jbossas/javadoc/4....> [**#5 on MSN**]

### Custom Driver Development Kit for ODBC JDBC OLE DB .NET

Allow ip\_ **endTransaction** to return error message in ... **Nested transaction** should allow in the distributed **transaction** ... Support **COMMIT**, **ROLLBACK** & **AUTOCOMMIT** commands from ISQL

<http://www.datadirect.com/techres/oasdkproddoc/release-history/index.ssp> [**#6 on MSN**]

### OpenAccess 2.2 Incremental Release Notes

The **commit** and **rollback** functionality that was available previously ... should have block-only visibility. Nee **transaction** ... writes nodes in both \*I and \*N sections. **Nested** library ...

[http://www.si2.org/openeda.si2.org/si2\\_o...](http://www.si2.org/openeda.si2.org/si2_o...) [**#7 on MSN**]

Data Access Meeting (2007-05-08) | The Dojo Toolkit

... save **and** revert on a store while a **transaction** is ... brian\_skinner> yup <jared\_j> **startTransaction()**  
blahblahblah **endTransaction** ... they'll give me a patch to review **and commit** ...  
<http://dojotoolkit.org/book/developers-n...> [**#8 on MSN**]

[jux2 Blog](#) - [About jux2](#) - [Search Engine Stats](#) - [Privacy Policy](#) - [Feedback](#)

© copyright 2007 jux2™

All brand and product names are trademarks of their respective holders.

## WEST Search History





DATE: Tuesday, November 13, 2007

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L31	(l26 or L27) and l16	9
<input type="checkbox"/>	L30	(l26 or L27) and l11	3
<input type="checkbox"/>	L29	(l26 or L27) and l7	3
<input type="checkbox"/>	L28	(l26 or L27) and l17	0
<input type="checkbox"/>	L27	707/204.ccls.	2189
<input type="checkbox"/>	L26	707/200-201.ccls.	4713
<input type="checkbox"/>	L25	(l21 or l22) and l20	1
<input type="checkbox"/>	L24	(l21 or l22) and l17	1
<input type="checkbox"/>	L23	(l21 or l22) and l14	1
<input type="checkbox"/>	L22	WHITTINGHAM-KEITH.in.	3
<input type="checkbox"/>	L21	BISCHOF-JOERG.in.	6
<input type="checkbox"/>	L20	L16 and (committransaction same endtransaction)	1
<input type="checkbox"/>	L19	L16 and (rollback same endtransaction)	2
<input type="checkbox"/>	L18	L16 and (rollback same endtransaction same abort\$)	0
<input type="checkbox"/>	L17	L16 and (nesting same starttransaction same endtransaction)	1
<input type="checkbox"/>	L16	L15 and commit	128
<input type="checkbox"/>	L15	(rollback\$ or (roll adj1 back\$) or roll-back\$) and (l7 or l8 or l12)	144
<input type="checkbox"/>	L14	L12 and l8	1
<input type="checkbox"/>	L13	L12 and l7	1
<input type="checkbox"/>	L12	L11 and endtransaction	14
<input type="checkbox"/>	L11	starttransaction	43
<input type="checkbox"/>	L10	L9 and (end near transaction\$)	739
<input type="checkbox"/>	L9	(start near transaction\$)	2312
<input type="checkbox"/>	L8	(nested near transaction\$)	329
<input type="checkbox"/>	L7	(flat near transaction\$)	89
	<i>DB=PGPB,USPT,USOC; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L6	L5 and (flat adj1 transact\$)	9
<input type="checkbox"/>	L5	L4 and (end\$ adj1 transact\$)	585
<input type="checkbox"/>	L4	(start\$ adj1 transact\$)	1943
<input type="checkbox"/>	L3	(flat adj1 transact\$).ab.	2
<input type="checkbox"/>	L2	(flat adj1 transact\$).ti.	1

☐ L1 (flat adj1 transaction).ti.

0

END OF SEARCH HISTORY